



Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.73

A decorative border at the top of the page. It features a central horizontal band with pinecones and pine needles. On either side of this band are vertical elements resembling clusters of grapes or small fruits.

TREE, SHRUB AND FRUIT SEEDS

PRICE LIST

Autumn 1929 - Spring 1930



Thomas J. Lane
SEEDSMAN
Dresher, Penna., U. S. A.

Conditions and Terms

All offers and acceptances of orders are subject to my receiving the full quantity for which I have placed orders with my growers and collectors. Failing to get these amounts, I reserve the right to reduce proportionately all orders that have been booked; or fill orders in rotation received while supply lasts.

The prices in this list are based on an average crop and normal cost of collecting and preparing the seed. If through unforeseen contingencies the cost of any item is extraordinarily increased I reserve the privilege of proportionately advancing the price of such items of accepted orders, subject to the buyer's option to pay the increased price or cancel those parts of his order.

I give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any seeds, bulbs or plants I send out, and will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms they are at once to be returned.

All Claims Must be Made Upon Receipt of Goods

AFTER GOODS ARE PLACED ON BOARD CARS HERE, I ASSUME NO RESPONSIBILITY FOR THEIR SAFE DELIVERY OR ANY INJURY CAUSED BY DELAY IN DELIVERY BY THE TRANSPORTATION COMPANY.

SACKS AND BOX AND PACKING CHARGED ADDITIONALLY.

Not less than one-half pound will be supplied at pound rates nor one-quarter bushel at bushel rates.

When seeds are to go by mail, postage is charged at Parcel Post rates in U. S. A. Consult your postmaster as to your zone and allow charges accordingly. Foreign countries 12c. per pound for postage.

SATISFACTORY ARRANGEMENTS FOR PAYMENT MUST ACCOMPANY ORDERS FROM UNKNOWN CORRESPONDENTS.

All P. O. orders payable at Dresher, Pa., U. S. A.

Terms—Net Cash.

SPECIAL PRICES WILL BE QUOTED ON LARGE QUANTITIES.

Cable Address 'LANE AMBLER' A. B. C. Code 4th and 5th Edition.

All orders will receive my best attention. Packing for shipment will receive special care and seeds will be packed in a manner that will permit their reaching destination in perfect order.

Thomas J. Lane
SEEDSMAN
Dresher, - - Penna.

October 15th, 1929

General Information and Suggestions For Planting

Seeds to germinate must have the proper conditions of heat and moisture. These conditions vary greatly with different seeds. Experience and close attention are necessary to successful propagation and the propagator must be a close observer of the wants and habits of trees and plants and be able to gather knowledge from what he may see. Owing to certain conditions of moisture, temperature and time which they do not always meet with after sowing, seeds sometimes fail to appear the first season. Examine them at close of Spring, and if found sound do not disturb them, and their germination may be looked for the season following.

Seeds of deciduous trees and shrubs are best sown in the Fall, pines and similar evergreens in Spring, but deciduous ones will grow very well sown in Spring if kept in good condition through the Winter. When sown in Spring seeds of a hard, bony nature, such as the yellow locust, are best soaked in hot water for a day or two and then sown at once. Seeds of maples, ash, magnolia, beech, all nut trees, as well as many other kinds require to be kept slightly moist over Winter if not sown in Fall; on the other hand, catalpa and some others may be kept quite dry until Spring comes.

Junipers, hollies and a few similar seeds remain a full year before sprouting. It is just as well, therefore, to keep them in a box of soil until the next Autumn, then sow them.

If the planting is done in the Fall it is better to mulch the ground with straw, leaves, or any like material; this will prevent baking of the soil after the Spring rains, and keep it in a nice mellow condition. The mulching should be removed in the Spring, or, at least so much that it will not interfere with the growth of the young seedlings.

The seed of evergreens is always found in cones, with the exception of the juniper and yew, which produce small berries; hence, the general name applied to evergreens of coniferae, or cone-bearing.

The soil most suitable for raising conifers is a light sandy loam, rich in vegetable matter, but entirely free from rank manures. The soil should be deeply spaded and thoroughly pulverized. Then lay off in beds four feet wide, and any desirable length, with paths of one foot between. The beds should be higher in the middle, the sides being but little higher than the paths. The seed is usually sown broadcast and then carefully and lightly raked in; but some prefer sowing in drills a few inches apart, then rolling, or pressing with back of the spade, and sifting over them a very light covering of one-eighth to one-quarter of an inch of soil. The ground should be prepared the Fall before, and the seed put in at the earliest possible moment in the Spring. Most failures in growing evergreen seedlings arise from not having the seed beds partially shaded. If hot sunshine falls on them while the seeds are swelling, and cold follows, a large proportion will rot before they appear above the ground. When seedlings are raised extensively artificial arbors are made high enough to work under. When the growing is done on a less extensive scale, stakes are driven at convenient distances along the sides of the beds to which boards six inches wide are nailed, to support screens for shading the young seedlings. The lower edge of these boards should be but four or five inches above the surface of the ground, to allow the air to circulate freely over the beds. Lath screens are very satisfactory.

The following suggestions may be of service to the nurseryman, but should be changed as conditions may require.

Andromeda Azalea	Kalmia	Rhododendron	Sow in peat moss or fine leaf mould in well protected seed bed.
Carpinus Edgeworthia	Prunus	Silver maple Quercus Ulmus	Sow as soon as possible after seeds are received.
Acer Aesculus Benzoin Calycanthus Caragana Carpinus Celtis Chionanthus	Cinnamomum (in warmer weather) Cornus Corylus Fraxinus Juglans Liriodendron	Ligustrum Pinus Strobus Prunus Roses Taxodium Tilia Rhus Syringa	Sow in Autumn or when seed arrives.
Actinidia Akebia Berberis Catalpa Cercidiphyllum Clematis	Desmodium Diospyrus Fagus Gleditschia Juniperus Kerria	Paeonia Pines Pyrus Sambucus Sophora Staphylea	Sow in early spring.
Abies Ampelopsis Aralia Aucuba Betula Biota Buxus Celastrus Cercis Chamaecyparis Clethra Cryptomeria Cydonia	Euonymus Ginkgo Hibiscus Ilex Larix Lindera Liquidambar Magnolia Morus Nandina Paulownia Photinia Picea	Pinus Pueraria Rhodotyphus Robinia Sciadopitys Spirea Styrax Taxus Thuja Tsuga Viburnum Wisteria	Sow in spring after danger of frost is past and soil is warm.
Carya Crataegus Juniperus	Magnolia Rhodotyphus Taxus	Tilia Viburnum	Stratify before sowing; seeds germinate slowly.
Buxus Camellia Cercis Gleditschia	Ilex Photinia Pueraria Robinia	Rosa Sophora	Soak in hot water just before planting.
Ampelopsis Aucuba Berberis Cinnamomum Euonymus	Ginkgo Hedera Ligustrum Lindera Magnolia	Prunus Rosa Sapindus Viburnum	Wash off thick pulp before stratifying or sowing.

Practical Plant Propagation by Hottes, is a very helpful book for planters. It contains much valuable information. Price \$2.15 Post-paid.

Evergreens

		Quantities of 10 lbs. and over		
		Per oz.	Per lb.	Per lb.
<i>Abies amabilis</i> , California Fir75	5.50	5.00
" <i>balsamea</i> , Balsam Fir50	4.50	4.00
" <i>brachyphylla</i> (homolepsis)40	2.50	2.25
" <i>concolor</i> , California Silver Fir40	2.50	2.10
" <i>concolor</i> , Colorado Silver Fir35	1.50	1.25
" <i>firma</i> , Japanese Fir35	1.75	1.50
" <i>Fraseri</i> , Double Balsam Fir60	4.50	4.25
" <i>grandis</i> , Pacific Coast Fir60	4.50	4.00
" <i>lasiocarpa</i>50	3.75	3.35
" <i>magnifica</i>50	4.00	3.50
" <i>nobilis</i>60	6.00	5.50
" <i>Nordmanniana</i> , Nordman Fir40	2.50	2.25
" <i>pectinata</i> , European Silver Fir25	1.25	.90
" <i>pinsapo</i> , Spanish Fir40	2.50	2.00
" <i>siberica</i> , Siberian Fir50	4.50	4.00
" <i>veitchii</i>40	3.00	2.65
<i>Araucaria excelsa</i>60	5.00	
<i>Berberis aquifolium</i> (Mahonia) clean seed40	3.00	2.75
" <i>japonica</i>60	4.75	4.50
<i>Buxus sempervirens</i> , Box40	2.25	2.00
<i>Cedrus atlantica</i> , Mt. Atlas Cedar40	3.00	2.75
" <i>deodora</i> , Deodar Cedar40	3.00	2.75
" <i>Libani</i> , Lebanon Cedar40	3.00	2.75
<i>Chamaecyparis lawsoniana</i>40	2.25	2.00
" <i>obtusa</i>35	1.50	1.35
" <i>pisifera</i>35	1.75	1.50
<i>Cinnamomum camphor</i> , Camphor Tree35	1.50	1.25
<i>Crataegus pyracantha</i> , Evergreen Thorn35	1.50	1.25
<i>Cryptomeria japonica</i> , Japanese Cedar35	1.50	1.15
<i>Cupressus arizonica</i>40	2.25	2.00
" <i>Goveniana</i>40	3.00	2.75
" <i>Lawsoniana</i>40	2.25	2.00
" <i>macrocarpa</i> , Monterey Cypress40	2.50	2.25
" <i>sempervirens horizontalis</i>35	1.50	1.20
" " <i>pyramidalis</i>35	1.50	1.20
" <i>Triomphe de Boskoop</i>	1.00	8.00	
<i>Eucalyptus globulus</i>	1.00	7.50	
" <i>Gunnii</i>	1.00	10.00	
" <i>rostrata</i>75	6.00	
" <i>viminialis</i>75	5.00	
<i>Ilex aquifolium</i> , English Holly35	1.65	1.35
" <i>crenata</i> , Japanese Holly40	2.50	2.25
" <i>opaca</i> , American Holly25	.85	.70
" <i>Sieboldi</i>40	3.00	2.65
<i>Juniperus chinensis</i> , Chinese Juniper C. S.75	4.50	4.00
" " " berries25	1.25	.95
" <i>california</i> , California " "40	2.50	2.25
" <i>communis</i> , Common Juniper (50 lb. @			
	.65)	.25	1.00	.75
" <i>excelsa</i>35	2.00	1.75
" <i>monosperma</i>40	2.50	2.25
" <i>prostrata</i>35	1.50	1.25

Evergreens—Continued

		Quantities of 10 lbs. and over		
	Per oz.	Per lb.	Per lb.	
Juniperus sabina berries40	2.25	2.00	
“ scopulorum35	1.50	1.10	
“ virginiana, Red Cedar25	.75	.65	
“ Northern type, 100 lbs. @ .6530	1.25	.85	
Kalmia angustifolia, Laurel clean seed	1.50	12.00		
“ latifolia, Sheep Laurel clean seed	1.50	12.00		
Larix dahurica, Korean Larch50	4.00	3.75	
“ europaea, European Larch40	2.00	1.60	
“ leptolepis, Japanese Larch50	4.00	3.75	
“ occidentalis75	7.50		
Laurus nobilis, Sweet Bay25	1.50	1.25	
Libocedrus decurrens, Incense Cedar40	2.00	1.75	
Magnolia grandiflora, Evergreen Magnolia35	1.50	1.15	
Photinia arbutifolia, Christmas Berry35	1.75	1.50	
Picea bicolor alcockiana, Japanese Spruce65	5.00	4.75	
“ canadensis alba, White Spruce50	4.00	3.50	
“ canadensis, Black Hills Spruce65	5.00	4.75	
“ engelmannii (50 lbs. @ \$3.00 per lb.)60	3.75	3.25	
“ excelsa (100 lbs. at \$1.00 per lb.)35	1.50	1.15	
“ Koyami	1.00	8.50		
“ nigra, Black Spruce	1.00	8.00		
“ omorika, Serbian Spruce	3.00	35.00		
“ orientalis, Oriental Spruce	1.25	12.50		
“ polita, Tigertail Spruce60	4.75	4.50	
“ pungens, Colorado50	3.75	3.25	
“ “ glauca, selected Blue Spruce75	6.00	5.25	
“ “ Kosters Blue Spruce	1.50	15.00		
“ rubra, Red Spruce	1.25	10.00		
“ sitchensis (menziesii) (100 lbs. @ \$5.50)	.75	7.00	6.00	
Pinus aristata, Hickory Pine45	2.25	2.00	
“ austriaca, (50 lbs. @ \$1.10)35	1.75	1.35	
“ Banksiana, Jack Pine45	3.50	3.25	
“ canariensis, Canary Islands Pine40	2.00	1.75	
“ caribaea (P. Cubensis) Slash Pine60	4.75	4.50	
“ Cembra, Swiss Stone Pine20	1.00	.90	
“ contorta, Shore Pine75	6.25	6.00	
“ Coulteri, Big Cone Pine65	5.00	4.50	
“ densiflora, Japanese Red Pine35	1.75	1.40	
“ echinata (mitis) Yellow Pine	1.00	8.00	7.50	
“ edulis, Pinyon Pine or Nut Pine35	1.25	1.00	
“ excelsa, Himalayan Pine40	2.75	2.50	
“ flexilis, Limber Pine40	2.25	2.00	
“ insignis, same as Pinus Radiata40	2.25	2.00	
“ Jeffreyi, Jeffrey's Pine40	3.00	2.75	
“ koraiensis35	1.50	1.15	
“ Lambertiana, Sugar Pine35	2.25	1.85	
“ Laricio, Corsican Pine45	3.50	3.15	
“ monophylla, Single Leaf Pine65	5.00	4.50	
“ Montana, Swiss Mountain Pine40	2.50	2.25	
“ monticola, Pacific Coast White Pine60	4.50	4.25	
“ mughus, Dwarf Mountain Pine40	3.50	3.00	

Evergreens—Continued

	Quantities of 10 lbs. and over		
	Per oz.	Per lb.	Per lb.
<i>Pinus mughus</i> , selected seed75	6.00	5.50
“ <i>muricata</i> , Prickle Cone Pine75	6.50	6.00
“ <i>Murrayana</i> , Lodgepole Pine75	6.00	5.75
“ <i>nigra</i> , Austian Pine (50 lbs. @ \$1.10)35	1.75	1.35
“ <i>palustris</i> , Long Leaf Pine (100 lbs. @ \$1.75)35	2.50	2.00
“ <i>Parviflora</i> , Japan White Pine45	3.00	2.65
“ <i>pentaphylla</i>45	3.50	3.00
“ <i>Pinea</i> , Italian Stone Pine20	1.00	.75
“ <i>ponderosa</i> , Bull Pine40	2.50	2.35
“ “ from Colorado (50 lb. at 1.25) ..	.35	1.75	1.50
“ <i>radiata</i> (Insignis) Monterey Pine (50 lbs. @ \$1.85)40	2.25	2.00
“ <i>resinosa</i> , Red Pine (50 lb. @ \$10.00) ...	1.25	12.50	10.50
“ <i>rigida</i> , Fitch Pine75	6.00	5.75
“ <i>Sabiniana</i> , Digger Pine35	1.75	1.50
“ <i>strobus</i> , White Pine (50 lb. @ \$1.75)40	2.75	2.35
“ <i>sylvestris</i> , Scotch Pine (50 lb. @ \$1.40) ..	.35	2.00	1.60
“ “ <i>rigensis</i> (50 lb. @ \$3.10)60	4.00	3.35
“ <i>taeda</i> , Loblolly Pine (50 lb. @ \$4.00)60	5.00	4.50
“ <i>Thunbergii</i> , Japanese Black Pine30	1.75	1.60
<i>Pseudotsuga Douglassii</i> , Douglas Spruce Green (50 lbs. @ \$6.00)75	7.00	6.50
“ “ Colorado Douglas Spruce (50 lbs. @ \$3.75)50	4.50	4.25
<i>Retinispora obtusa</i> , same as <i>Chameacyparis</i>35	1.50	1.35
“ <i>pisifera</i> , same as <i>Chameacyparis</i> ..	.35	1.75	1.50
<i>Rhododendron catawbiense</i> , C. S.	2.00	18.00	
“ <i>maximum</i> , Great Laurel	2.00	17.50	
<i>Sciadopitys verticillata</i> , Umbrella Pine40	3.25	3.00
<i>Sequoia gigantea</i> , Big Tree	1.50	16.50	
“ <i>sempervirens</i> , California Red Wood40	3.00	2.50
<i>Taxus baccata</i> , English Yew35	2.25	2.00
“ <i>cuspidata</i> , Japanese Yew (50 lbs. @ \$1.85) ..	.40	2.50	2.10
“ <i>brevifolia</i> , California Yew75	8.00	7.50
<i>Thuja gigantea</i> , Western Arbor-Vitae (25 lbs. @ \$4.25)60	5.00	4.50
“ <i>occidentalis</i> , American Arbor Vitae (25 lbs. @ \$3.25)50	4.00	3.50
“ <i>orientalis</i> , Chinese Arbor Vitae (25 lbs. @ .85)25	1.25	.90
“ “ <i>compacta</i> variety40	2.50	2.15
“ “ <i>aurea</i> variety, Chinese Golden40	2.50	2.25
<i>Tsuga canadensis</i> , Hemlock Spruce75	7.00	6.50
“ <i>caroliniana</i> , Carolina Hemlock	1.00	9.00	8.00
“ <i>diversifolia</i> , Japanese Hemlock50	4.25	4.00
“ <i>mertensiana</i> , Western Spruce	1.00	10.00	
“ <i>seiboldi</i> , Japanese Spruce50	4.00	3.85
<i>Ulex europaea</i> , Furze40	2.50	
<i>Yucca filamentosa</i> , Adam's Needle40	2.50	2.25

Deciduous Trees and Shrubs

	Quantities of 10 lbs. and over		
	Per oz.	Per lb.	Per lb.
Acer campestre, English Maple20	.75	.60
“ dasycarpum, Silver Maple (ready in May only)20	.75	.50
“ ginnala40	2.50	
“ japonicum, good for stock40	2.75	2.50
“ macrophyllum, Oregon Maple25	1.25	1.00
Acer negundo, Ash leaf maple20	.85	.75
“ palmatum, best for stock (25 lbs. @ \$2.10) .	.35	2.50	2.25
“ palmatum atropurpureum, Japan Blood Leaf	1.25	12.50	
“ platanoides, Norway (25 lbs. @ .60)20	1.00	.75
“ “ Schwedleri, Blood Leaf variety	.35	2.00	1.60
“ pennsylvanicum (striatum) Striped maple .	.35	1.85	1.60
“ rubrum, Red maple (ready in May only) ..	.40	2.75	2.60
“ saccharum, Sugar maple25	1.50	1.25
“ spicatum, Mountain maple35	2.50	2.25
“ straitum, same as Pennsylvanicum35	1.85	1.60
Aesculus hippocastanum, Horse chestnut10	.50	.35
“ rubicunda, Red flowering25	1.25	1.00
Ailanthus glandulosa, Tree of Heaven25	1.00	.75
Amorpha fruticosa, Indigo shrub20	.75	.50
Andromeda (Pieris) Japonicum, clean seed ...	1.00	7.50	
Aralia spinosa, Angelica tree40	2.75	2.50
Aronia arbutifolia, Red chokeberry25	1.25	1.00
“ melanocarpa, Black chokeberry25	1.15	1.00
Asimina triloba, Pawpaw25	1.25	1.00
Aucuba japonica35	1.75	1.60
Azalea calendulacea, clean seed	1.00	9.00	
“ mollis, clean seed	1.50	10.00	
“ nudiflora, clean seed	1.00	9.00	
“ viscosa, clean seed	1.00	9.00	
Benzoin aestivale, Spice Bush25	1.15	.90
Berberis Thunbergii, Japanese Barberry Berries	.35	1.75	1.50
“ “ “ clean			
“ “ seed50	4.00	3.85
“ “ Vulgaris, Common barberry25	1.00	.90
“ “ Purpurea, Purple Bar-			
“ berry35	2.00	1.75
Betula Alba, European White Birch25	.75	.60
“ “ recleaned35	2.50	2.15
“ lenta, Sweet Birch35	2.25	2.00
“ lutea, Yellow Birch35	2.25	1.75
“ papyracea, Paper Birch35	3.00	2.75
“ populifolia, Poplar Birch30	1.50	1.25
“ rubra, Red Birch (ready in July only) ..	.45	3.50	
Calycanthus floridus laevigatus, Sweet Shrub35	1.65	1.25
Caragana arborescens, Siberian Pea35	1.75	1.25
Carpinus americana, Hornbeam, clean seed	.25	1.25	.95
“ betulus, European Hornbeam20	1.00	.60
Carya, same as Hicoria			
Castanea americana15	.75	.50
Catalpa speciosa, Western Catalpa (50 lbs. @ .85)	.25	1.25	1.00
Ceanothus americanus, clean seed60	4.00	

Deciduous Trees and Shrubs—Continued

	Quantities of 10 lbs. and over		
	Per oz.	Per lb.	Per lb.
<i>Celtis occidentalis</i> , Nettle Tree35	1.50	1.25
<i>Cephalanthus occidentalis</i> , Button Bush20	1.00	.65
<i>Cercidiphyllum japonicum</i> , Katsura Tree75	6.00	5.25
<i>Cercis canadensis</i> , Judas Tree35	1.75	1.50
“ <i>japonica</i> , Japan Judas Tree75	6.00	5.25
<i>Chionanthus Virginica</i> , White Fringe50	3.25	
<i>Citrus trifoliata</i> , Hardy Orange35	2.00	1.75
<i>Clehra alnifolia</i> , Sweet Pepper Bush30	1.50	1.25
<i>Colutea arborescens</i>25	1.25	1.00
<i>Cornus alternifolia</i> , Blue-berried Dogwood25	1.35	1.10
“ <i>florida</i> , White Dogwood Berries20	.75	.50
“ <i>Kousa</i>35	2.50	2.25
“ <i>Mas. Cornelian Cherry</i>25	1.25	.90
“ <i>Nuttallii</i> , Pacific Coast Dogwood35	1.75	1.65
“ <i>paniculata</i> , Gray Dogwood25	1.00	.85
“ <i>sanguineum</i>25	1.00	.75
“ <i>sibirica</i>35	1.75	1.60
<i>Corylus americana</i> , Hazel Nut20	.85	.65
“ <i>avellana</i> , European Filbert20	.75	.60
“ <i>avellana purpurea</i>35	2.25	2.00
<i>Cotoneaster acutifolia</i>35	1.75	1.50
“ <i>horizontalis</i>40	2.50	2.25
<i>Crataegus coccinea</i> , White Thorn Berries15	.75	.60
“ <i>cordata</i> , Washington Thorn Berries25	1.00	.85
“ <i>crus-galli</i> , Cockspur Thorn Berries15	.65	.50
“ <i>oxycantha</i> , English Thorn25	1.00	.75
<i>Cydonia japonica</i> , clean seed40	2.75	2.25
“ “ <i>pygamea</i> , Dwarf Creeping75	5.00	4.75
<i>Cytissus scoparius</i> , Scotch Broom35	1.75	1.50
<i>Diospyrus kaki</i> , large improved type35	1.50	1.10
“ <i>lotus</i> , good for stocks20	.85	.70
“ <i>virginiana</i> , Persimmon, clean seed20	.75	.60
<i>Eleagnus angustifolia</i> , Russia Olive15	.65	.50
“ <i>longipes</i>40	2.75	2.35
“ <i>umbellatus</i>40	3.00	2.65
<i>Euonymus alatus</i> , Winged Burning Bush40	2.50	2.15
“ <i>americanus</i> , Burning Bush35	1.50	1.25
“ <i>atropurpureus</i>35	2.25	1.85
“ <i>europoeus</i>25	1.25	1.00
“ <i>japonicus</i> , Evergreen Euonymus35	2.25	1.85
“ “ <i>aurea</i>40	2.75	2.25
<i>Exochorda grandiflora</i> , Pearl Bush40	3.75	3.25
<i>Fagus americana</i> , American Beech25	1.25	1.00
“ <i>sylvatica</i> , European (50 lbs. @ .50)20	.75	.60
“ <i>sylvatica purpurea</i> , Blood Leaved Variety35	2.25	1.75
<i>Fraxinus americana</i> , White Ash20	.85	.65
“ <i>excelsior</i> , European Ash15	.65	.50
“ <i>oregona</i>35	1.85	1.50
“ <i>ornus</i> , Flowering Ash20	.85	.65
“ <i>sambucifolia</i> , Black Ash40	2.75	
“ <i>viridis</i> , Green Ash15	.75	.60
<i>Genista tinctoria</i> , Dyers Greenwood35	2.00	1.75

Deciduous Trees and Shrubs--Continued

	Quantities of 10 lbs. and over		
	Per oz.	Per lb.	Per lb.
Ginko biloba (<i>Salisburia adaintifolia</i>)20	.75	.65
Gleditschia triacanthos, Honey Locust			
(50 lbs. @ .50)15	.75	.60
Gymnocladus canadensis, Kentucky Coffee15	.75	.60
Halesia tetraptera, Snowdrop Tree35	1.50	1.15
Hamamelis virginica, Witch Hazel35	2.00	1.60
Hibiscus syriacus, Althaea, clean seed25	1.25	.90
Hicoria alba (<i>Carya tomentosa</i>) Mockernut10	.25	.20
" cordiformis (<i>C. amara</i>) Bitternut10	.25	.18
" glabra (<i>C. porcina</i>) Pignut10	.25	.20
" laciniosa (<i>C. sulcata</i>) Shellbark10	.25	.20
" ovata (<i>C. alba</i>) Shagbark10	.25	.18
" Pecan (<i>C. olivaeformis</i>)15	.75	.60
Hippophae rhamnoides, Sea Buckthorn35	1.75	1.25
Ilex decidua30	1.50	1.15
" fugisanensis	1.50	18.00	
" verticillata, Winterbury25	1.25	.85
Juglans cinerea, Butternut (50 lbs. @ .12 lb.)10	.25	.15
" californica15	.75	.60
" cordiformis, Heart Nut15	.75	.60
" nigra, Black Walnut (50 lbs. @ .12)10	.25	.15
" regia, English Walnut15	.75	.60
" sieboldiana15	.75	.60
Koeleruteria paniculata, Varnish Tree20	1.00	.65
Laburnum vulgare25	1.50	1.15
Ligustrum ibota, Berries15	.65	.40
" vulgare15	.75	.60
Lindera Benzoin, same as Benzoin25	1.15	.90
Liquidambar styraciflua, Sweet Gum45	3.50	3.15
Liriodendron tulipifera, Tulip Tree			
(50 lbs. @ .60)25	1.00	.70
Lonicera tatarica45	3.50	3.00
Maclura aurantiaca, Osage Orange35	1.50	1.25
Magnolia acuminata40	2.50	1.90
" glauca, Sweet Bay40	3.25	3.00
" grandiflora, Evergreen35	1.75	1.50
" Kobus40	2.00	1.75
" tripetela40	2.25	1.85
" Yulan (<i>conspicua</i>)75	6.50	5.75
Morus alba, White Mulberry30	1.75	1.35
" tatarica, Russian Mulberry40	2.75	2.25
Myrica cerifera, Wax Myrtle30	1.50	1.15
Negundo aceroides, same as Acer negundo20	.85	.75
Nandina domestica, clean seed40	2.50	2.25
Nyssa aquatica, Sour Gum25	1.25	1.00
" multiflora25	1.25	1.00
" uniflora25	1.25	1.00
Oxydendrum arboreum (<i>Andromeda</i>) clean seed .	.40	2.75	2.25
Paeonia, moutan75	7.50	7.00
Paulowina imperialis, Empress Tree30	1.25	1.00
Pieris japonica, clean seed	1.00	7.50	

Deciduous Trees and Shrubs—Continued

	Quantities of 10 lbs. and over		
	Per oz.	Per lb.	Per lb.
<i>Platanus occidentalis</i> , American Plane20	1.00	.70
“ <i>orientalis</i>20	1.00	.65
<i>Prunus serotina</i> , clean seed20	.85	.60
<i>Ptelea trifoliata</i> , Hop Tree25	1.00	.85
<i>Pyrus americana</i> (same as <i>Sorbus americana</i>) ..	.35	1.50	1.25
“ <i>acuparia</i> (same as <i>Sorbus acuparia</i>)25	1.00	.75
“ <i>arbutifolia</i> (same as <i>Aronia arbutifolia</i>) ..	.25	1.25	1.00
<i>Quercus coccinea</i> , Scarlet Oak (50 lbs. @ .25) ..	.10	.40	.30
“ <i>falcata</i> , Spanish Oak10	.40	.30
“ <i>ilicifolia</i> , Scrub Oak10	.50	.35
“ <i>lyrata</i> , Overcup Oak10	.40	.30
“ <i>Michauxii</i>10	.40	.30
“ <i>macrocarpa</i> , Bur Oak (50 lbs. @ .20) ..	.10	.35	.25
“ <i>nigra</i> , Black Jack10	.40	.30
“ <i>palustris</i> , Pin Oak (50 lbs. @ .25)10	.40	.30
“ <i>phellos</i> , Willow Oak10	.40	.35
“ <i>rubra</i> , Red Oak (50 lbs. @ .20)10	.30	.25
“ <i>tinctoria</i> , Black Oak (50 lbs. @ .20)10	.35	.25
<i>Rhamnus cathartica</i> , Buckthorn25	1.25	.90
“ <i>Carolina</i>35	1.75	1.50
“ <i>Frangula</i>35	1.50	1.15
“ <i>Purshiana</i> , Cascara Sagrada50	4.00	3.50
<i>Rhodotypos kerrioides</i> , Jet Bead40	2.50	2.25
<i>Rhus aromatica</i> , (same as <i>Rhus canadensis</i>)25	1.50	1.15
“ <i>canadensis</i> , Fragrant Sumach25	1.50	1.15
“ <i>copallina</i> , Shining Sumach20	1.00	.75
“ <i>copallina</i> , Smoke Tree, (Purple Fringe)50	2.75	2.50
“ <i>glabra</i> , Smooth Sumach20	.75	.50
“ <i>typhina</i> , Stags Horn Sumach20	.75	.50
<i>Ribes sanguineum</i> , Flowering Currant45	3.25	2.75
<i>Robinia Pseudacacia</i> , Yellow or Black Locust (50 lbs. @ .50 per lb.)20	.85	.60
<i>Rosa blanda</i> , Meadow Rose25	1.25	.95
“ <i>canina</i> , clean seed25	1.00	.60
“ <i>carolina</i>25	1.25	1.00
“ <i>humilis</i>25	1.25	.95
“ <i>lucida</i>25	1.25	1.00
“ <i>multiflora</i> (American) clean seed30	1.50	1.25
“ <i>rubiginosa</i>30	1.50	1.15
“ <i>rugosa</i> , clean seed35	1.75	1.35
“ <i>setigera</i> , Wild Rose Berries30	1.50	1.15
<i>Salisburia adintifolia</i> (same as <i>Ginko biloba</i>) ..	.20	.75	.65
<i>Sambucus canadensis</i> , Elder clean seed50	4.00	3.50
<i>Sassafras officinale</i>25	1.00	.75
<i>Sophora japonica</i> , Pagoda Tree, clean seed25	1.00	.85
<i>Sorbus americana</i> , American Mt. Ash35	1.50	1.25
“ <i>aucuparia</i> , European Mt. Ash25	1.00	.75
<i>Spiraea opulifolia</i> , clean seed50	3.50	3.00
<i>Syringa dilata</i> , Korean Lilac, clean seed	1.00	11.00	
“ <i>japonica</i> , Japanese Tree lilac75	8.00	7.50
“ <i>vulgaris</i> , Common Lilac, clean seed ..	.45	3.50	3.00
“ “ <i>alba</i> , White Lilac60	4.50	

Deciduous Trees and Shrubs—Continued

	Quantities of 10 lbs. and over		
	Per oz.	Per lb.	Per lb.
Taxodium distichum, Deciduous Cypress35	1.50	1.15
Tilia americana, American Linden35	1.50	1.15
“ argenta, European Silver Linden25	1.00	.75
“ platyphyllos, Large Leaf European Linden25	1.00	.75
“ cordata (parvifolia) small leaf25	1.00	.75
Ulmus americana, American Elm (in May only)30	1.25	.85
“ campestris, English Elm30	1.25	1.00
Viburnum acerifolium, Maple Leaf Viburnum			
berries20	.75	.60
“ carlesii	1.50	20.00	
“ cassinoides25	1.25	1.10
“ dentatum25	1.25	1.10
“ lantana (25 lbs. @ \$1.00)25	1.50	1.25
“ lentago25	1.25	1.00
“ oxycoccos (opulus)30	1.50	1.10
“ prunifolium20	.85	.65

Vines and Climbers

Akebia quinata40	2.25	2.00
Ampelopsis Veitchii, clean seed (Japan Creeper)35	1.75	1.40
“ virginica, Virginia Creeper35	1.65	1.35
Aristolochia sipho, True Variety60	4.50	4.00
Celastrus scandens, berries, Bitter Sweet25	1.50	1.25
“ “ clean seed, Bitter Sweet45	3.50	3.00
Clematis flammula, Sweet Clematis25	1.50	1.25
“ paniculata, Japanese Clematis (real			
clean seed)40	2.75	2.60
“ virginiana50	3.75	3.50
“ vitalba, English Clematis25	1.00	.85
Hedera Helix, Ivy25	1.00	.85
Tecoma radicans, Trumpet Vine40	2.25	1.90
Wisteria frutescens40	3.50	
“ multijuga40	3.00	2.75
“ sinensis, blue25	1.35	1.00
“ “ white40	3.00	2.75

Fruits

Apple, French Crab (50 lbs. @ .80 per lb.)25	1.00	.90
Cherry, Mahaleb, clean stones (50 lbs. @ .75) ..	.30	1.25	1.00
Cherry, Mazzard (50 lbs. @ .60)25	1.00	.85
Peach pits, natural (50 lbs. @ .12)10	.35	.25
Pear, French (25 lbs. @ \$1.75)40	2.25	1.85
“ Chinese, Pyrus, Callerianna, Chinese Tree			
Pears75	5.25	4.50
“ Japan, Pyrus Serotina60	5.00	4.60
“ Pyrus usseriensis, best Blight resistant			
variety75	6.00	5.50
Plum myrobolan, (50 lbs. @ .60)25	1.00	.75
Quince40	3.25	2.75